

Governing Council (GC) Evaluation Criteria and Indicators

RAW SCORE GUIDE	
5	Meets indicator fully and completely
4	Meets indicator with clarification needed
3	Meets indicator with minor revisions needed
2	Meets indicator with major revisions needed
0	Does not meet indicator

CRITERIA	INDICATORS	RAW SCORE	PERCENT SCORE
A. Soundness of Proposal (20%)	R&D addresses relevant sectoral need (applicable to pressing concern)	5	20
	Solution provided is most effective (compared to other proposed solutions)	5	
	Proposed budget is reasonable (project is not expensive vis-a-vis output)	5	
	Workplan is doable in a given timeframe	5	
B. Suitability of Output (30%)	R&D output is cost-effective (cost is competitive in relation to new or existing products or process)	5	30
	Has identified partners to adopt the technology (with letter of support from the head of the company)	5	
	Output can be commercialized (through an existing manufacturer, spin-off or start-up company)	5	
	R&D utilization is timely (output should not be overtaken by others)	5	
C. Significance of Outcome (30%)	Economic: (1) increase in productivity, (2) increase in income, (3) new jobs generated, (4) high ROI	5	30
	Social: (1) working partnerships established, (2) trainings opportunities provided, (3) policies adopted, (4) increased access to basic services (i.e., food, health, education)	5	
	Environment: (1) enhanced environment health standards, (2) no adverse effect	5	
	Sustainability: Sustainability mechanisms established in terms institutional, financial and human resources capability (does not include serial submission of new related proposal)	5	
D. Competence of Proponent (20%)	Proponent's expertise aligned with the proposal	5	20
	Collaboration with relevant agencies and/or industry partners	5	
	Thorough understanding of the proposal's deliverables	5	
	Have good experience with the proponent	5	
TOTAL SCORE			100

PERCENT SCORE	DISPOSITION
80 - 100	Highly Recommended
61 - 80	Recommended (subject to compliance from GC comments)
41 - 60	For Revision (subject for PMT/GC Re-evaluation)
0 - 40	Not Recommended